

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Scholar Preferences](#) | [Sign in](#)

Google scholar

LDAP filter format data store attribute partition

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

- 2004

include citations



Create email alert

Results 1 - 100 of about 215. (0.76 sec)

Lightweight directory access protocol (LDAP) directory server cache mechanism and method

DJ Byrne, CR Murthy, SB Shi, CL Shu - US Patent 6,347,312, 2002 - Google Patents

... EntryData. Entries are stored using a simple text **format** of the form "**attribute**: value". ... Descendant

Table: The purpose of this table is to support the subtree search 1° feature of **LDAP**. ... Each **LDAP**

entry is assigned an unique identifier (BID) by the backing **store**. ...

[Cited by 76](#) - [Related articles](#) - [All 2 versions](#)

Method of hierarchical LDAP searching with relational tables

DW Bachmann, CF Corn, LG Fichtner, RA ... - US Patent ..., 2000 - Google Patents

... For example, the API function ldap searchQ may be used to perform a given directory search. ...

image, a network dispatcher 37 may be deployed to route requests among the **LDAP** servers

36. FIG. ... This configuration enables users to **store** up to terabytes of **data** into the database. ...

[Cited by 85](#) - [Related articles](#) - [All 2 versions](#)

Efficient implementation of lightweight directory access protocol (LDAP) search queries with structured query language (SQL)

CF Corn, LG Fichtner, RA Mancisidor, SB ... - US Patent 6,356,892, 2002 - Google Patents

... Entries are stored using a simple text **format** of tion. ... technique 3Q In addition to the table structures

described above, the may be used to search any relational database using following SQL SELECT

statements are used by **LDAP/DB2** hierarchical, **filter**-based database ...

[Cited by 20](#) - [Related articles](#) - [All 2 versions](#)

An enterprise directory solution with DB2

SSB Shi, E Stokes, D Byrne, CF Corn, D ... - IBM Systems ..., 2000 - ieeexplore.ieee.org

... In addition, we also have an **LDAP** entry table that holds the information about anLDAP entry. ...

the EID of the entry and support- ing LDAP_SCOPE_ONELEVEL and LDAP_SCOPE_BASE

search scope ... Entries are stored using a simple text **format** of the form "**attribute**: value" as in ...

[Cited by 19](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

[\[PDF\] from uni-duisburg.de](#)

[PDF] On processing XML in LDAP

PJ Marrón, G Lausen - Proceedings of the VLDB'01, 2001 - vldb.org

... taken as an ex- ample (figure2) an excerpt of the Mondial database available in XML **format**

from [14 ... such that: (1) bqtL, fqtL and pqtL are defined as in the **LDAP** Model; and ... be searched;

subtree, if all nodes under the base should be considered by the **filter expression**; parent, if ...

[Cited by 22](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 5 versions](#)

[\[PDF\] from vldb.org](#)

[BOOK] LDAP system administration[PDF] from lissyara.su

G Carter - 2003 - books.google.com

... **Attribute** types have defined encoding and matching rules that govern such things as the type of **data** the **attribute** can hold and how to compare this **data** during a search. ...

The **LDAP** Interchange **Format** (LDIF), defined in RFC 2Cited by 90 - [Related articles](#) - [Library Search](#) - [All 20 versions](#)[PDF] Making LDAP Active with the LTAP Gateway; Case Study in Providing Telecom Integration and Enhanced Services[PDF] from psu.edu

R Arlein, J Freire, N Gehani, D Lieuwen, J ... - Lecture notes in computer ..., 2001 - Citeseer

... proposes the use of a single logical source for needed information and encourages **storage** of **data** in a standard **format** to enable ... The second part of the LTAP condition, the **LDAP filter**, constrains the trigger to fire only when the object satisfies the **filter**, for example when ...

Cited by 8 - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 10 versions](#)LDAP, Databases and Distributed Objects: Towards a better integration

T Delot, P Déchamboux, B Finance, Y Lepetit, G ... - Databases in ..., 2001 - Springer

... level ? **filter ldap**://nldap.com/c=us? sub ? (cn = Bill*) ... For the time being, **LDAP query** results are considered as an unstructured bag of entries defined in LDIF (**LDAP Data Interchange Format**) which is very limited; hierarchic links between entries are lost in the result. ...

Cited by 4 - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)Managing CORBA objects with dynamic behavior in a Directory[PDF] from rmit.edu.au

T Delot, B Finance - ... Objects and Applications, 2001. DOA'01. ..., 2002 - ieeexplore.ieee.org

... The full DN **format** is described in [12]. L C=GB I t CN=John Jones O= Graphic Scrvicrs CN=Laser Printer CN= Zue hgc ... **filter** expressed : Figure 3: **LDAP query expression** The base object DN clause defines the root of the search using a distinguished name, the scope clause ...

Cited by 1 - [Related articles](#) - [All 4 versions](#)Support for RDBMS in LDAP system

SP Ghatare - US Patent App. 10/682,575, 2003 - Google Patents

... DB Server **LDAP** Server ^*~ - ^r -402 -404 •406 •450 FIG. ... create **filter** for **data store** 1412 provide **filter** to Translation Module more **partition expressions**? ... 20 create **filter expression** tree (FT) 1440 create **partition expression** tree (PT) 1442 access mapped **attributes** (MA) 1444 call ...

[All 2 versions](#)Translating data access requests

SP Ghatare - US Patent App. 10/682,252, 2003 - Google Patents

... access requests between a **format** suitable for a relational database and a different **format** used by ... 1 \\ \\ \\ 432 _V [^ — -> 43^ ! • DB **LDAP** Server Server ... 20 create **filter expression** tree (FT) 1440 create **partition expression** tree (PT) 1442 access mapped **attributes** (MA) ...

[All 2 versions](#)Third International Symposium on Distributed Objects and Applications (DOA'01)

T Delot, B Finance - 2001 - computer.org

... The full DN **format** is described in [12]. CN=Fax Machine CN=Sarah Miles OU=Research ... The

storage model adopted in **LDAP** is based on vertical **partitioning** of entries; for each **attribute** an index is defined. ... The **filter** clause can be delayed until all external entries are reached. ...

[Related articles](#) - [All 3 versions](#)

[\[PDF\]](#) [Overview of existing XML storage techniques](#)

[\[PDF\]](#) from 168.188.128.62

S Amer-Yahia, M Fernandez - submitted for publication, 2002 - 168.188.128.62

... de- fine a search scope (itself, children or whole subtree rooted at node) for the search. ... further with more flexible mappings and a more comprehensive XQuery to **LDAP query** translation ... is defined, users must write the correspond- ing input XML document in the following **format**: ...

[Cited by 11](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[BOOK\]](#) [Understanding and deploying LDAP directory services](#)

[\[PDF\]](#) from lissyara.su

T Howes, M Smith, GS Good - 2003 - books.google.com

... vii Selected LDAPv3 Extensions 127 The ManageDSAIT Control 128 The Persistent Search Request and ... 8. Schema Design 259 The Purpose of a Schema 260 Elements of **LDAP Schemas** 261 ... Formats 273 The LDAPv3 Schema **Format** 273 The ASN.1 Schema **Format** 280 ...

[Cited by 216](#) - [Related articles](#) - [Library Search](#) - [All 8 versions](#)

[\[BOOK\]](#) [LDAP programming with Java](#)

R Weltman, T Dahbura - 2000 - books.google.com

... CHAPTER 2 The Lingua Franca of Directodes Is **LDAP** CHAPTER 3 May We Introduce— Directory SDK for Java ... A directory is a service that allows you to search a structured repository of information. ... Most directories offer a hierarchical rather than a relational view of the **data**. ...

[Cited by 17](#) - [Related articles](#) - [Library Search](#) - [All 2 versions](#)

[\[PDF\]](#) [Policy Framework Working Group J. Strassner Internet-draft A. Westerinen Category: Standards Track Cisco Systems E. Ellesson LongBoard, Inc.](#)

[\[PDF\]](#) from 64.170.98.42

B Moore, R Moats, PCL Schema - Policy, 2001 - 64.170.98.42

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...

[View as HTML](#)

[\[PDF\]](#) [Policy Framework Working Group J. Strassner Internet-draft INTELLIDEN, Inc. Category: Standards Track A. Westerinen Cisco Systems](#)

[\[PDF\]](#) from levkowetz.com

E Ellesson, B Moore, R Moats, PCL Schema - Policy, 2001 - cabernet.levkowetz.com

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\]](#) [Policy Framework Working Group J. Strassner Internet-draft Cisco Systems Category: Standards Track E. Ellesson LongBoard, Inc.](#)

[\[PDF\]](#) from 64.170.98.42

B Moore, R Moats, PCL Schema - Policy, 2001 - 64.170.98.42

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... The **LDAP**-enabled directory then returns all entries in that subtree that satisfy the specified criteria. ... The **filter** for searching this subtree is whatever the client is going to use later to ...

[View as HTML](#)

[\[PDF\] Storage techniques and mapping schemas for XML](#)

[\[PDF\] from psu.edu](#)

S Amer-Yahia - SIGMOD Record, 2003 - Citeseer

... 1. INTRODUCTION XML is the standard **format** for **data** exchange between Web ap- plications. ... These **queries** apply full-text search operators while ignoring specific markup in the searched text. ... with linear prop- erties to compute children and descendants of entities in **LDAP**. ...

[Cited by 14](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[Multi-dimensional analysis of objects by manipulating discovered semantic properties](#)

T Conrad, S Wiener - US Patent 6,028,605, 2000 - Google Patents

... The semantic model is stored as metadata in an intermediate **format** on the com ... and uses the feedback to modify subsequent **queries** and displayed search results ... ccrnpaHiivB ianalysis \ Best Practices Customer 'Presentations' Industry and Marketing **data** Instructional Materials ...

[Cited by 75](#) - [Related articles](#) - [All 2 versions](#)

[Dynamic organization model and management computing system and method therefor](#)

EC Cheng - US Patent 6,067,548, 2000 - Google Patents

... 30 [52] US CI 707/103; 707/101; 707/104 [58] Field of Search 707/104 ... The present invention methodology does not dictate the under- lying **data** model, although the preferred ... When a relational database implementation is chosen, users define the **attributes** 60 of the members ...

[Cited by 98](#) - [Related articles](#) - [All 5 versions](#)

[\[PDF\] Policy Framework Working Group J. Strassner Internet-draft Intelliden Corporation Category: Standards Track E. Ellesson LongBoard, Inc.](#)

[\[PDF\] from 64.170.98.42](#)

B Moore, R Moats, PCL Schema - Policy, 2002 - 64.170.98.42

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... Relying only on a subtree search, though, runs the risk of missing conditions or ... a second way of representing rule-specific conditions and actions in an **LDAP**-accessible directory ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[PDF\] Policy Framework Working Group J. Strassner Internet-draft Intelliden Corporation Category: Standards Track B. Moore IBM Corporation](#)

[\[PDF\] from levkowetz.com](#)

R Moats, E Ellesson, PCL Schema - Policy, 2002 - cabernet.levkowetz.com

... of classes specifically designed to optimize retrieval of large amounts of policy-related **data** from a ... Relying only on a subtree search, though, runs the risk of missing conditions or ... a second way of representing rule-specific conditions and actions in an **LDAP**-accessible directory ...

[View as HTML](#) - [All 4 versions](#)

[Indexing management for hierarchical main memory](#)

N Zhang - US Patent 6,763,347, 2004 - Google Patents

... The features and directory access protocol (**LDAP**), simple object access process steps of the

present invention may be embodied in ... The database runtime aggregates the search results before returning them to the database user. ... the persistence **format** will be a byte array. ...

[Cited by 1](#) - [Related articles](#) - [All 2 versions](#)

Haystack: A platform for creating, organizing and visualizing information using RDF

[\[PDF\]](#) from psu.edu

D Huynh, D Karger, D Quan - Semantic Web Workshop, 2002 - aaai.org

... The layout part that shows the messages in a list view **format** allows the user to reorder the ... For example, agents can automatically **filter** a user's e-mail for documents that appear to fit in one or ... on a regular basis, fulfill **queries**, and interface with the file system and **LDAP** servers. ...

[Cited by 126](#) - [Related articles](#) - [All 25 versions](#)

[PDF] Directory Services for Linux

[\[PDF\]](#) from daasi.de

N Klasen - Comparison with Novell NDS and Microsoft Active ..., 2001 - daasi.de

... because of historic reasons, since its semantics can be reproduced by a tailored search operation ... the overwhelming majority of **queries** to X.500 DSAs came via **LDAP**, a new ... It incorporated the actual **data store** mechanism into the **LDAP** daemon and was named "standalone ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 20 versions](#)

[BOOK] Application Driven Networking: Concepts and Architecture for Policy-Based Systems

[\[PDF\]](#) from ibm.com

J Follows, D Straeten, International Business Machines ... - 1999 - redbooks.ibm.com

... LIDIA's goal was to provide a raw **LDAP**-based (Lightweight Directory Access Protocol) repository interface to **store** schemata and ... DEN defines a directory as a centralized repository that coordinates information **storage** and retrieval, enabling other **data**- and application ...

[Cited by 10](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 4 versions](#)

System and method for accessing a directory services repository

DT Ferguson - US Patent 6,016,499, 2000 - Google Patents

... "ODBC search results", Microsoft Site Search Results, Microsoft ... to provide such a system and method which makes the information stored by NCP software available in a relational database **format**. ... The API may include a Lightweight Directory Access Protocol ("**LDAP**") API. ...

[Cited by 66](#) - [Related articles](#) - [All 2 versions](#)

[PDF] Optimizing XML Path Queries over Relational Databases

[\[PDF\]](#) from psu.edu

MC Pilar - 2002 - Citeseer

... because there is no separate description of its type or structure and its **data**. The Extensible Markup Language (XML), as a **format** for semistructured **data**, ... and Lorel AQM+97]. Storing XML Documents There are several approaches to **store XML data**. The first and most ob-

[Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 5 versions](#)

[HTML] Adaptive Directory Services for Highly Dynamic Environments

[\[HTML\]](#) from computer.org

DM Silva, F Kon - IEEE Distributed Systems Online, 2001 - dsonline.computer.org

... **LDAP** clients can search for objects in the directory by issuing requests containing Boolean **expressions** ... Hosts in the grid were responsible for pushing information into the **LDAP** servers periodically ... **data** can then be displayed to the user in textual or graphical **format**; for example ...

[Related articles](#) - [Cached](#) - [All 3 versions](#)

[\[PDF\] Policy Framework Architecture](#)

A Westerinen, L Rafalow, R Moore - 1999 - cabernet.levkowitz.com

... Repository Access Protocol | (eg, **LDAP**) +--- Policy Decision ... o Send a decision back to the initiator of the **query**, perhaps in a device-specific **format** as specified by the Device ... For example, a traffic **filter** and a policer instance could be installed on an edge device. ...

[Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] from levkowitz.com](#)

[Configuration of a directory system](#)

ML Benson, J Liu, M Leibmann, D ... - US Patent App. 10/ ..., 2003 - Google Patents

... The exemplary remote repositories 220 include **storage** media to **store** information, as ... 302 may hold information such as system configuration information, **data format** specifications, and ... MA)

Schema, [0048] Remote Repository Schema, [0049] Connector **filter** Schema, [0050 ...

[Cited by 1](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] Survey on grid and peer-to-peer network technologies](#)

L Ciminiera, A Sanna, C Zunino-Polito - 2002 - iwayan.info

... IP Address The IP address of the responding host (This field is in big-endian **format**). ... Number of Kilobytes Shared The number of kilobytes of **data** that the servent with the given IP address and port ... with a QueryHit if it is able to communicate at a speed $\geq n$ kb/s Search Criteria A ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[PDF\] from iwayan.info](#)

[\[PDF\] IdentiScape Tackling the Personal Online](#)

I Crisis, P Maniatis, M Baker - 2000 - db.stanford.edu

... We do not use **LDAP's** support for **data** schema extensibility, since the definition of new arbitrary schemata is ... The repository makes no effort to parse, type-check or vali- date stored **data**, but values may ... itself knows where Jane is at a finer time grain, so it can **filter** and optionally ...

[Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[\[PDF\] from stanford.edu](#)

[\[PDF\] Identiscape: Tackling the personal online identity crisis](#)

P Maniatis, M Baker - ..., Stanford University, Technical Report CSL-TR-00, 2000 - Citeseer

... We do not use **LDAP's** support for **data** schema extensibility, since the definition of new arbitrary schemata ... The repository makes no effort to parse, type-check or validate stored **data**, but values may be ... itself knows where Jane is at a finer time grain, so it can **filter** and optionally ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

[\[PDF\] from psu.edu](#)

[\[BOOK\] MCSE Windows Server 2003 Active Directory Infrastructure Study Guide \(Exam 70-294\)](#)

D Suhanovs - 2003 - books.google.com

... Requirements 148 Child Domains 150 Forest Root Domain 152 Application **Data Partitions** 154 Domain ... the Network 378 Security Requirements 379 Corporate Policies 379 Network and **Storage** Capacities 379 ... lay out potential problems and solutions in a quick-to-read **format**. ...

[All 3 versions](#)

[\[PDF\] GRID. IT](#)

IQ Answering - 2004 - Citeseer

[\[PDF\] from psu.edu](#)

... The Tools and Algorithms Access Service (TAAS) is responsible for search, selection, and ... iterative knowledge discovery processes, eg, periodical analysis of the same **data** sources varying ... models, classification, etc.), and offers methods to **store** in different formats these results ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[CITATION] Mcse Win. Server 2003 Act. Dir. Infrs. Exam St. Guide

D Suhanovs - 2003 - Dreamtech Press

First experiences using XACML for access control in distributed systems

[\[PDF\]](#) from psu.edu

M Lorch, S Proctor, R Lepro, D Kafura, S ... - Proceedings of the 2003 ..., 2003 - portal.acm.org
... 4.2.2 **Partition** search space for locating **attribute** authorities All access control requests present a set ... definition and management of access control policies in a platform independent **format** such as ... The holder DN can either be acquired by searching an **LDAP** server or entered ...

[Cited by 126](#) - [Related articles](#) - [All 17 versions](#)

Astrolabe: A robust and scalable technology for distributed system monitoring, management, and data mining

[\[PDF\]](#) from psu.edu

R Van Renesse, KP Birman, W Vogels - ACM Transactions on ..., 2003 - portal.acm.org
... Astrolabe also has a small "footprint" in the sense of computational and **storage** overheads. ... while still benefit- ing from the robustness and scalability of the basic SelectCast **data** distribution tree ...
5Bloom **filters** are also used in the directory service of the Ninja system [Gribble et al ...

[Cited by 528](#) - [Related articles](#) - [BL Direct](#) - [All 30 versions](#)

[PDF] Metadata Management and Context-based Personalization in Distributed Information Systems

[\[PDF\]](#) from psu.edu

M Keidl - Technische Universität München, 2004 - Citeseer
... **Query** Resources List **Query** Plan XML XML Search Resources XML **Query** Result XML ... **Data** provider B has a (nested) relational table T. The function provider supplies two relevant **query** operators: a wrapper (wrap S) to transform S into nested relational **format** and a ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 4 versions](#)

[PDF] Agent-based Computing and General Distributed Search

[\[PDF\]](#) from psu.edu

N Gibbins - 1998 - Citeseer
... as well as its own hierarchical referrals, and indices can be generated for **LDAP** 80] directories ...
A search for a common word or phrase in such a system may yield hundreds ... The Knowledge Interchange **Format** 35] is a declarative language for the representation of knowledge by ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

Efficient filtering of XML documents with XPath expressions

[\[PDF\]](#) from psu.edu

CY Chan, P Felber, M Garofalakis, R Rastogi - The VLDB Journal, 2002 - Springer
... XML Accelerator [7]). Given the increased complexity of structural, XPath-based **data filters**, the problem ... intuitive means for specifying tree-structured constraints in XML and **LDAP** applications
[3 ... key features of XPEs that will prove most useful in **data**-dissemination applications. ...

[Cited by 383](#) - [Related articles](#) - [BL Direct](#) - [All 43 versions](#)

[PDF] Data Management in HPC

[\[PDF\]](#) from psu.edu

G Erbacci, M Sbrighi - 2003 - Citeseer

... **data** are organized90 6.4.4 **Filters**91 ... operating systems and the underlying **storage** and networking ... policies, security assets and policies, **data format** proliferation; ...

[View as HTML](#) - [All 3 versions](#)

[PDF] Quality of Service and Optimization in Data Integration Systems

[\[PDF\]](#) from psu.edu

R Braumandl - Actes du GI-Fachtagung Datenbanksysteme für ..., 2003 - Citeseer

... Furthermore, the search for qualifying pairs of real estate and airport **data** items would have to be performed manually. ... of **attribute** types. For each **attribute** type a **data** field exists in each record of the corresponding record type. ... An **attribute** type can be one of the following: ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 19 versions](#)

Fixed format stream in a communication services patterns environment

MK Bowman-amuah - US Patent 6,549,949, 2003 - freepatentsonline.com

... 236. Other Classes: 709/246. International Classes: H04L29/06; G06F15/16. Field of Search: ... systems communicating via Stream-Based Communication and using a shared generic **format** to relay ... 158 illustrates a flowchart for a method for controlling **data** in accordance with an ...

[Cited by 88](#) - [Related articles](#) - [Cached](#)

Efficient server side data retrieval for execution of client side applications

MK Bowman-amuah - US Patent 6,615,253, 2003 - freepatentsonline.com

... G06F12/00; G06F15/16; G06F17/00; G06F15/16; G06F17/00; G06F12/00. Field of Search: ... two systems communicating via Stream-Based Communication and using a shared generic **format** to relay the ... 119 illustrates the transmitting of all **data** in a **Data** Structure from a client to a ...

[Cited by 136](#) - [Related articles](#) - [Cached](#)

[PDF] Distributed Decision Tree Induction within the Grid Data Mining Framework GridMiner-Core

[\[PDF\]](#) from psu.edu

GM TR2004 - 2004 - Citeseer

... 60 4.5 Vertical and Horizontal **Data Partitioning** Weather Service focuses on resource monitoring and prediction, the NetSolve environment on remote numerical calculations and SDSCs **Storage** Resource Broker on uniform access to heterogeneous **data** resources. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

Emergent semantics: Towards self-organizing scientific metadata

[\[PDF\]](#) from psu.edu

B Howe, K Tanna, P Turner, D Maier - Semantics of a Networked World, 2004 - Springer

... This feature distinguishes RDF from tree-based **data** models, eg, **LDAP** [17]. ... **data** mining algorithms use sophisticated techniques to estimate the confidence level and prune the search space. ... parameter files created for different versions of the code had a slightly different **format**. ...

[Cited by 6](#) - [Related articles](#) - [BL Direct](#) - [All 11 versions](#)

Attribute dictionary in a business logic services environment

MK Bowman-amuah - US Patent 6,601,234, 2003 - freepatentsonline.com

... Field of Search: 717 ... FIG. 106 illustrates two systems communicating via Stream-Based Communication and using a shared generic **format** to relay the meta-**data** information; ... FIG. 119 illustrates the transmitting of all **data** in a **Data** Structure from a client to a server and visa-versa; ...

[Cited by 94](#) - [Related articles](#) - [Cached](#)

[\[PDF\] LHC Computing Grid](#)

[\[PDF\] from cesnet.cz](#)

AD Peris, P Méndez, FD Lorenzo, A Sciaba, S ... - 2004 - egee.cesnet.cz

... Replica Optimization Service SASL: Simple Authorization & Security Layer (LDAP) SE: **Storage** ...

SMP: Symmetric Multi Processor SRM: **Storage** Resource Manager SURL: **Storage** URL TURL ...

Universal Resource Locator UUID: Universal Unique ID VDT: Virtual **Data** Toolkit VO ...

[View as HTML](#) - [All 24 versions](#)

[\[PDF\] Shibboleth architecture draft v05](#)

[\[PDF\] from psu.edu](#)

M Erdos, S Cantor - Internet2/MACE, May, 2002 - Citeseer

... AA may **store attributes** directly, or more likely will obtain them from the institution's **LDAP** directory

or ... The additional **data** in the handle package includes the location of the AA at which the ... Shibboleth

also doesn't currently specify a **format** for AAPs since we don't currently have ...

[Cited by 58](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

[Attestation-based policy enforcement for remote access](#)

[\[PDF\] from psu.edu](#)

R Sailer, T Jaeger, X Zhang, L Van ... - Proceedings of the 11th ..., 2004 - portal.acm.org

... Eg, Linux provides the Net- **Filter** interface that enables fine-grained control of network communication within the operating system. ... For confidentiality, we may

require that no **data** is saved in persistent **storage** on the client. ...

[Cited by 118](#) - [Related articles](#) - [All 13 versions](#)

[\[BOOK\] Oracle Database 10g: a beginner's guide](#)

[\[PDF\] from narod.ru](#)

I Abramson, M Abbey, MJ Corey, Books24x7, Inc - 2004 - oracle10g-book.narod.ru

... A: It would **store** 9.89 in a number(6,2) field when passed 9.882. ... Page 24. 2.15 **Format** Your

Output with SQL*Plus Team Fly ... SQL is used to build database objects and it is also used to

query and manipulate both these objects and the **data** they may contain. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 11 versions](#)

[Architectures enabling scalable Internet search](#)

[\[PDF\] from rwth-aachen.de](#)

A Uhl - 2003 - sylvester.bth.rwth-aachen.de

... For example, the product descriptions of an online **store** are searchable according to definition

1.1 if the **store's** main page ... Figure 2.1: Typical architecture of a search engine ... Due to the inversion

the **data** structure is very efficient for answering keyword **queries** (close to $O(1)$...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 8 versions](#)

[Tracking, recording and organizing changes to data in computer systems](#)

MA Moraes, JR Soss - US Patent App. 10/635,041, 2003 - Google Patents

... detects and records changes made to **data** items by processes in a computer system. Processes

and changes are organized as change sessions in a change history database and tagged with

user-provided reasons and other identification fields. A **query** module provides ...

[All 2 versions](#)

[\[BOOK\] Perl for system administration](#)

DN Blank-Edelman - 2000 - books.google.com

... tration stalwarts like backup and printing are edged out by newer topics like **LDAP** and SNMP. ...

Whenever we encounter an intermediate- to-advanced technique, **data** structure, or idiom, I'll take the ... easiest way to find the modules on CPAN is to use the search engine developed ...

Cited by 16 - [Related articles](#) - [Library Search](#) - [All 9 versions](#)

[\[book\] DB2 version 8: the official guide](#)

P Zikopoulos, G Baklarz, RB Melnyk, D Deroos - 2003 - books.google.com

... 57 How **Data** Compression Works in DB2 UDB 57 The New Row Record **Format** 59 Compression ...

ARAM] 94 New Join Variations 95 Increased Opportunity for Selection of Bit-**Filters** 95 Part 3 ...

Service Level Install for UNIX 170 New Tivoli-focused Options 171 **LDAP** Support on ...

Cited by 4 - [Related articles](#) - [Library Search](#) - [All 2 versions](#)

[Policy-based mobile ad hoc network management](#)

[\[PDF\]](#) from argreenhouse.com

R Chadha, H Cheng, YH Cheng, J Chiang, A Ghetie, G ... - 2004 - computer.org

... the PDP, which interprets and translates the policy **data** to a device-dependent **format** and configures ... Directory Access Protocol (LDAPv3) [30], and a mapping of PCIM to an **LDAP** schema has ... On a DPA/GPA, **data** about nodes other than the local node is obtained from remote ...

Cited by 47 - [Related articles](#) - [All 7 versions](#)

[\[PDF\] of thesis: Service Discovery Solutions' Federation](#)

[\[PDF\]](#) from psu.edu

T Koponen - 1924 - Citeseer

... to encode broadcast quality multi- channel audio and video into digital **format**. ... has specified mappings (transport managers) from Bluetooth [4], Infrared **Data** Association (IrDA ... the following domain name specifies a Lightweight Directory Access Protocol (**LDAP**) server example ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[doc\] JISC Circular 15/98](#)

[\[DOC\]](#) from bris.ac.uk

C Lagoze, D Brickley, J Hunter - 1999 - ilt.bris.ac.uk

... DC:**Format**.Length>30 mins</DC:**Format**.Length ... Do users find the search system to be an effective research and learning tool ... Systems Technology Centre, Dublin core qualification specification; MPEG-7 and SMIL extensions specification; Metadata **expression** in RDF **data** model ...

[Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] A report submitted to the Department of Computer Science](#)

[\[PDF\]](#) from psu.edu

M Ali, D Ranjha, S Shah, MB Siddiqui - 2003 - Citeseer

... makes it possible to develop applications once, and a single, common binary **format** enables the ... we need it, without forcing our eyes to examine thousands of search-engine hits ... Certifying (SFS) and Cooperative (CFS) File Systems provide secure access to **data** over distrusted ...

[Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[\[PDF\] Grid Security: An evaluation of authorisation infrastructures for Grid Computing](#)

[\[PDF\]](#) from gla.ac.uk

AJ Stell - MSc Dissertation, University of Glasgow, 2004 - nesc.gla.ac.uk

... on a back-end database, whilst Permis maintains a certificate repository held on an **LDAP** server, where the ... X509 is a standard **format** that is used in the construction of a certificate. ... DER (Definite Encoding Rules) describe a single way to **store** and transfer that **data** between two ...

[Cited by 11](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Network Working Group J. Strassner Request for Comments: 3703 Intelliden Corporation Category: Standards Track B.](#)

[\[PDF\]](#) from psu.edu

[Moore IBM Corporation](#)

R Moats, E Elleesson - Policy, 2004 - portal.acm.org

... a role-combination [1]). Another strategy would be for the PDP to use only equality **filters**. ... if the value of the pcimRoles **attribute** does not conform to the **format** "<RoleName>[&& ... Standards Track

[Page 36] RFC 3703 Policy Core **LDAP** Schema February 2004 The class definition ...

[Related articles](#) - [All 157 versions](#)

[\[PDF\] Metadata support for connecting application components asynchronously](#)

[\[PDF\]](#) from psu.edu

O Seidel... - 1999 - Citeseer

... During this research an appropriate **format** has been chosen to represent the metadata. ... 2.3.4

Light-Weight Directory Access Protocol (**LDAP**) 1 Such a platform could provide pre-packaged

objects for the creation of video windows, search dialogs, search result presentation, etc ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[\[PDF\] Self-organizing resource location and discovery](#)

[\[PDF\]](#) from psu.edu

D Doval - 2003 - Citeseer

... 159 B Manifold Message **Format** 161 B.1 Introduction is in their vicinity (as defined by the topology of the network). The search 21 Page 32. ... DHCP (Section 2.5.2) lookups or

LDAP(Section 2.5.4) **queries** are examples of lo- cal/inexact requests. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[Method and apparatus for performing a research task by interchangeably utilizing a multitude of search methodologies](#)

OK Robert Jr - US Patent App. 20,020/091,686, 2001 - freepatentsonline.com

... 2006 - 20060184526 Synchronized replica for web host Bremers - September, 2005 -

20050198087 **LDAP** revision history ... an internet connection with the server to utilize the search methodologies. ... a particular node can be displayed in an encyclopedia-like **format**, wherein the ...

[Cached](#) - [All 2 versions](#)

[Enterprise JavaBeans and Microsoft transaction server: Frameworks for distributed enterprise components](#)

A Leff, J Prokopek, JT Rayfield, I Silva-Lepe - Advances in Computers, 2002 - Elsevier

... Opens new window) Journal/book title. Volume Issue Page Clear all fields Advanced Search. ...

arrive at the other end of the link (demarshalling); 9 performing **data format** translation (eg ... and

SQL Server; and naming (JNDI) wraps technologies such as CosNaming, **LDAP**, and DNS ...

[Cited by 8](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

[Knowledge-based e-catalog procurement system and method](#)

GC Berkowitz, D Serebrennikov, BM Roe, ... - US Patent App. 10/ ..., 2002 - Google Patents

... 27, 2003 US 2003/0061122 AI (such as **LDAP** servers) Functional View Kxprt User Standard ...

First, IntellectCat allows a much greater flexibility with regard to the **format** of the ... a very intuitive and flexible search mechanism that also captures and shares search knowledge among ...

[All 2 versions](#)

[BOOK] Increasing the Value of Meta Data by Using Associative Semantic Networks

[PDF] from psu.edu

M Mair - 2002 - Citeseer

... The article says: When **data** of any sort are placed in **storage**, they are filed al- phabetically or numerically, and information is found (when it is) by tracing it down from subclass to subclass. ...

2.1 Search Engines Meta **data** forms the primary type of information in library systems. ...

Related articles - [View as HTML](#) - [All 10 versions](#)

Authorizing message publication to a group of subscribing clients via a publish/subscribe service

BD Goodman, F Jania, KC Lagarde, C Shu, ... - US Patent App. 10/ ..., 2003 - Google Patents

... 10, 2003 Related US Application **Data** (62) Division of application No. ... SS 102 Base Computer....-

101 Memory Mouse Processor 104 100 105 106 107 **Storage** Media •rinter/Scanner 110 ... to any

plug-ins Ale ON or OFF' for this applicatio 9 / OFF 811 messag pass **filter** check 9 ...

[All 2 versions](#)

[BOOK] Distributed object architectures with CORBA

H Balen, M Elenko - 2000 - books.google.com

... Library of Congress Cataloging-in-Publication **Data** is on record with the publisher. ... clients 194

Web server/ORB gateway 196 HOP and Firewalls 202 Firewall technology 203 **Filters** 203 Proxies ...

Persistence provides you with the mechanisms to **store** an object for long periods. ...

Cited by 41 - [Related articles](#) - [Library Search](#) - [All 2 versions](#)

[PDF] Shibboleth architecture draft v04

[PDF] from internet2.edu

M Erdos, S Cantor - 2001 - shibboleth.internet2.edu

... AA may **store attributes** directly, or more likely will obtain them from the institution's **LDAP** directory

or ... The additional **data** in the handle package includes the location of the AA at which the ... Shibboleth

also doesn't currently specify a **format** for AAPs since we don't currently have ...

Cited by 9 - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[BOOK] Grid computing

J Joseph, C Fellenstein - 2004 - books.google.com

... in a Top-Down Approach 282 Base Service Implementation 282 Implementing Search Grid Service ...

xiv Contents **Data** Management Services 351 Gnd File Transfer Protocol (GridFTP) 351 ... 356

Securty 356 Persistence 356 Programming Model 356 **Attribute**-Based Programming ...

Cited by 166 - [Related articles](#) - [Library Search](#) - [All 3 versions](#)

[BOOK] DB2 II: Performance Monitoring, Tuning, and Capacity Planning Guide

[PDF] from ibm.com

N Alur, International Business Machines Corporation. ... - 2004 - redbooks.ibm.com

... Appendix B provides EXPLAIN output of various **queries** in a federated environment, and

discusses key items in the EXPLAIN output ... His areas of expertise include DBMSs, **data**

warehousing, distributed systems management, and database performance, as well as client/ ...

Cited by 2 - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 4 versions](#)

[BOOK] Migration to IBM Tivoli Configuration Manager Version 4.2

[PDF] from ibm.com

V Gucer, International Business Machines Corporation. ... - 2002 - redbooks.ibm.com

... With the flexibility and scanning performance of Inventory, collecting system hardware and

software information will allow optimization of the network and the amount of **data** that is sent to the RIM database. ... An **LDAP** directory **query** can be created and run when ...

[View as HTML](#) - [Library Search](#) - [All 4 versions](#)

[PDF] [Evaluation of distributed authentication, authorization and directory services](#)

[PDF] [from psu.edu](#)

G Gábor - 2001 - Citeseer

... Previous versions of Windows used different methods to **store** different **data** such as network or user ... NDS protocol is based on the DAP protocol just like **LDAP**; in fact, the **LDAP** interface provided by ... can go into a certificate, and de- scribes how to write it down (the **data format**). ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

[BOOK] [Developing WMI solutions: a guide to Windows management instrumentation](#)

C Tunstall, G Cole - 2003 - books.google.com

... Existing Classes in the CIMV2 Namespace 113 Modifying Existing Classes 113 Managed Object **Format** 114 MOF ... 117 Flavors 118 Custom Qualifiers 119 User-Defined Qualifiers 120 Intrinsic **Data** Types 120 ... 139 Help for a Class 139 Browse for a Namespace 141 Search for a ...

[Cited by 11](#) - [Related articles](#) - [Library Search](#) - [All 5 versions](#)

[BOOK] [OCP: Oracle 10g new features for administrators: study guide](#)

[PDF] [from sybex.com](#)

B Bryla, B Thomas - 2004 - books.google.com

... day period, you can obtain replacement media of identical **format** by sending ... Segment Management 257 Miscellaneous Space Management Features 279 Automatic **Storage** Management 284 ... xiv Contents **Data** Type Enhancements Case- and Accent-Insensitive **Queries** ...

[Library Search](#) - [All 3 versions](#)

[BOOK] [Commerce server 2000: building ebusiness solutions](#)

G Sreeraman - 2002 - books.google.com

... a Catalog in XML **Format**148 Exporting a ... 212 The Authentication **Filter**212 Summary ... Structures487 The **Data Store**488 OLAP ...

[Library Search](#) - [All 3 versions](#)

[BOOK] [Internet-based workflow management](#)

[PDF] [from ucf.edu](#)

DC Marinescu - 2002 - cs.ucf.edu

... LAN = local area network LCFS = last come first serve **LDAP** = lightweight directory access ... RDF = resource description **format** RED = random early detection RIO = random early detection ... transport control protocol TDM = time division multiplexing TDU = transport **data** unit ToS ...

[Cited by 104](#) - [Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 6 versions](#)

[PDF] [Homebrew Test Automation](#)

[PDF] [from io.com](#)

AOD Seminar - 2004 - io.com

... The industry now generally understands how to use test tools. • Four years ago, my “capture/replay is foolish” talk was controversial. • Scripting, **Data**-driven, and Keyword approaches are now accepted. Page 5. Homebrew Test Automation September 2004 (c) Bret ...

[View as HTML](#) - [All 3 versions](#)

[BOOK] Oracle9i Web Development

BD Brown - 2001 - books.google.com

... IIS 8 Content Management Services 9 Oracle Internet File System 9 Ultra Search 11 Business ...

JMS) Toolkit 17 Oracle SQL] 17 Oracle XML Developer's Kit 18 Oracle **LDAP** Developer's Kit

19 ... 386 What Has to Change 386 Flexible Parameter Passing Gets a New **Format** 386 File ...

Cited by 8 - [Related articles](#) - [Library Search](#) - [All 3 versions](#)

[PDF] Experiences Establishing an Experimental International Coalition Public Key Infrastructure

[PDF] from psu.edu

G Fink, UK Worcestershire - 1st Annual PKI Research Workshop, 2002 - Citeseer

... UK and US then exchanged copies of their respective Root CA certificate both in native **format**

and in ... trying to add a user to the Entrust Address Book from a Directory Search, Entrust Express ...

that the certificate being added to the Entrust Address Book from the **LDAP** Directory is ...

Cited by 3 - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

[BOOK] The power of IT: survival guide for the CIO

J De Sutter - 2004 - books.google.com

... 46 Physical Layer47 **Data** link layer ... deserves a strategy

.....82 Reconsider your **storage** strategy83 ...

Cited by 4 - [Related articles](#) - [Library Search](#) - [All 2 versions](#)

[PDF] Portlet Development Guide

[PDF] from utah.edu

S Hesmer, P Fischer, T Buckner, I ... - Introduction to the Portlet ..., 2002 - gkmc.utah.edu

... Early Internet portals, such as Yahoo, Excite, and Lycos, categorized Web content

and provided search facilities. ... User **data** The PortletData object represents **data** for

a concrete portlet instance that is saved to persistent **store**. ...

Cited by 2 - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)

[PDF] Portlet development guide

[PDF] from google.com

T Buckner, S Hesmer, P Fischer, I Schuster - IBM. Retrieved June, 2003 - sites.google.com

... Early Internet portals, such as Yahoo, Excite, and Lycos, categorized Web content

and provided search facilities. ... User **data** The PortletData object represents **data** for

a concrete portlet instance that is saved to persistent **store**. ...

Cited by 2 - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[BOOK] Installing, Upgrading and Maintaining Oracle Applications 11i (Or, When Old Dogs Herd Cats-Release 11i Care and Feeding)

B Matthews, J Stouffer, K Brownfield - 2004 - books.google.com

... 104 HOW TO SEARCH FOR A PATCH 104 QUICK LINKS 111 ... ACTIVITIES – SOME EXAMPLES

316 NOTIFICATION COMPLETION - MESSAGES AND **ATTRIBUTES** 319 NOTIFICATION ... and

database diagnostic tools, RAID technology, tape arrays, **data storage** devices and ...

[Library Search](#) - [All 2 versions](#)

[BOOK] Guide to web application and platform architectures

S Jablonski, I Petrov, C Meiler, U Mayer - 2004 - books.google.com

... and to find readily available and comprehensive literature without undertaking a labori- ous search. ...

as installing a Web server, writing some PHP script, and storing the **data** in some ... The creation of HTML (HyperText Markup Language) as document **format** is not a coincidence ...

[Cited by 30](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

[\[PDF\] Grid service requirements](#)

[\[PDF\] from psu.edu](#)

JC Desplat, J Hardy, M Antonioletti, J Nabrzyski, ... - ENACTS report, ..., 2002 - Citeseer

... methods 105 II.10.6 **Data** management and integrity (**data** access, **data**

migration, replication, **data storage**, **data transfer**) 107 ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[PDF\] Appendix: UK Grid Services and Activities, e-Science Gap Analysis](#)

[\[PDF\] from psu.edu](#)

G Fox, D Walker - National e-Science Centre, UK e-Science Technical ..., 2003 - Citeseer

... 27 (a) General Scientific Metadata **Format** A.7.1.6.5 Example Workflow for

DAME Use Case 4: Perform Cluster Search..... Leicester University AstroGrid

A.2.7.2.2 Virtual directory service of **data** items located ...

[View as HTML](#) - [All 10 versions](#)

[\[BOOK\] The SQL Server 7.0 handbook: a guide to Microsoft database computing](#)

K England, N Stanley - 1999 - books.google.com

... It will also have support for the Lightweight Directory Access Protocol API (**LDAP**) and Microsoft Mail ... batches, object usage, locking, security events, and errors, SQL Server Profiler can **filter** these events ... Host gateways are used to access remote **data** in non-SQL Server **format**. ...

[Cited by 1](#) - [Related articles](#) - [Library Search](#)

[\[BOOK\] Integrating Linux and Windows](#)

M McCune - 2001 - books.google.com

... Just search the Internet for "Satan" or "Antichrist" and you will be surprised how many anti ... This is often done to separate the programs from the **data** and also for storing multiple ... this output means, starting with the first character: • First character—This is a special **attribute** such as ...

[Cited by 2](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

[\[PS\] Distributed Indexing/Searching Workshop](#)

[\[PS\] from psu.edu](#)

M Schwartz, H Network - agenda, attendee list, and position papers, ..., 1996 - Citeseer

... by full text indexing systems, in addition to retrieving **attribute**-value structured meta **data**. ... agreeing on a standard index retrieval **format**, or through an index **format** negotiation protocol ... a simple generic **query** language (and implemented mappings to several search engines), but ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 23 versions](#)

[\[BOOK\] Capability-based description and discovery of services](#)

[\[PDF\] from psu.edu](#)

D Devereux - 2003 - Citeseer

... 252 9.24 A REIWA residential search record . . . by providing an interface description that maps from client objectives onto invocations, and from returned results onto a canonical result **format**.

Page 23. ... are dominated by the presence of an underlying **data store**. Function ser- ...

[Related articles](#) - [View as HTML](#) - [Library Search](#) - [All 7 versions](#)

Base services patterns in a netcentric environment

MK Bowman-amuah - US Patent 6,742,015, 2004 - freepatentsonline.com

... computer's general role as a requester of **data** (the client) or provider of **data** (the server ... of a text document coded in a standard Hypertext Markup Language (HTML) **format**, and when ... steps on input objects, encapsulating each of the processing steps within a **filter**, receiving and ...

Cited by 93 - [Related articles](#) - [Cached](#)[PDF] Service Discovery in Pervasive Systems[\[PDF\]](#) from uq.edu.au

SR Livingstone - The School of Information Technology and ..., 2003 - itee.uq.edu.au

... Salutation Consortium 1995 **LDAP** University of Michigan 1995 ... system, announcement/registration: how a service/client registers with the discovery system, search: how a ... INR's **store** intentional names, called name-specifiers, as **attribute**-value pairs in an **Attribute** ...

Cited by 1 - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)[PDF] caGRID White Paper[\[PDF\]](#) from nih.gov

W Sanchez, B Gilman, M Kher, S ... - ... Institute Center for ..., 2004 - cabig-stage.nci.nih.gov

... BioMOBY uses its own proprietary XML **format** to exchange semantic, object, and **data** type information ... Clients can then search the DAISGR for services that match their requirements ... SRB, in conjunction with the Metadata Catalog (MCAT), provides a way to access **data** sets and ...

Cited by 7 - [Related articles](#) - [View as HTML](#) - [All 7 versions](#)Processing pipeline in a base services pattern environment

MK Bowman-amuah - US Patent 6,715,145, 2004 - freepatentsonline.com

... present invention, one of the plurality of **filters** may be positioned between the input and output **filters** of the process for translating an output of the input **filter** into an input type of the output **filter**. ... 69 illustrates fixed **format** contracts containing meta-**data** information for ...

Cited by 61 - [Related articles](#) - [Cached](#)Blocked tree authorization and status systems

FW Sudia - US Patent App. 10/949,712, 2004 - Google Patents

... [0085] In another approach, such **data** string values could be supplied in the form of an **attribute** certificate (along the lines described in ANSI X9.45), whether or not digitally signed by a CA or AA, where the hash value of the **attribute** certificate is inserted into the **data** stream just ...

[Related articles](#) - [All 4 versions](#)[Create email alert](#)

Google

Result Page: 1 2 3 [Next](#)

LDAP filter format data store attribute partition expression LDAP queries - Google Scholar

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google